MONSTER®

MONSTER CERTIFIED C.I.

MONSTER POWER

MONSTER CERTIFIED C.I.

Monster® CI Speaker Cable

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
CI Pro S16-2 60-strand 30 gauge count with 1/2 inch twist. Available in EZ-Pull Box for easy storage and maneuverability. Sequential foot markers to provide exact cable measurement. Containing 1000 feet of in-wall speaker cable.							
CI Pro 16-Gauge, 2 conductor speaker cable	103410	CP 16-2-CL EZ1000	0.75 ft.			1 spl.	1000
Product Description	**Inventory Number**	**Model Name**	**Retail price**			**Unit Config**	**MCQ**
CI Pro S16-4 60-strand 30 gauge count with 1/2 inch twist. • Available in EZ-Pull Box for easy storage and maneuverability. • Sequential foot markers to provide exact cable measurement. • Containing 500 feet of in-wall speaker cable.							
CI Pro 16-Gauge, 4 conductor speaker cable	103411	CP 16-4-CL EZ500	1.25 ft.			1 spl.	500
Product Description	**Inventory Number**	**Model Name**	**Retail price**			**Unit Config**	**MCQ**
CI Pro S14-2 40-strand 28 gauge count with 1/2 inch twist. Available in EZ-Pull Box for easy storage and maneuverability. • Sequential foot markers to provide exact cable measurement. • Containing 500 feet of in-wall speaker cable.							
CI Pro 14-Gauge, 2 conductor speaker cable	103412	CP 14-2-CL EZ500	1.10 ft.			1 spl.	500
Product Description	**Inventory Number**	**Model Name**	**Retail price**			**Unit Config**	**MCQ**
CI Pro S-14-4  40-strand 28 gauge count with 1/2 inch twist. Available in EZ-Pull Box for easy storage and maneuverability. Sequential foot markers to provide exact cable measurement. Containing 500 feet of in-wall speaker cable.							
CI Pro 14-Gauge, 4 conductor speaker cable	103413	CP 14-4-CL EZ500	1.85 ft.			1 spl.	500
Product Description	**Inventory Number**	**Model Name**	**Retail price**			**Unit Config**	**MCQ**
CI Pro S16-2-DB  60-strand 30 gauge count with 1/2 inch twist. Rated for outdoor installations. Available in EZ-Pull Box for easy storage and maneuverability. Sequential foot markers to provide exact cable measurement. Containing 1000 feet of outdoor speaker cable.							
CI Pro 16-2 Direct Burial Speaker Cable	103420	CP 16-2-DB-CL EZ1000	1.10 ft.			1 spl.	1000
Product Description	**Inventory Number**	**Model Name**	**Retail price**			**Unit Config**	**MCQ**
CI Pro S16-4-DB  60-strand 30 gauge count with 1/2 inch twist. Rated for outdoor installations. Available in EZ-Pull Box for easy storage and maneuverability. Sequential foot markers to provide exact cable measurement. Containing 500 feet of outdoor speaker cable.							
CI Pro 16-4 Direct Burial Speaker Cable	103421	CP 16-4-DB-CL EZ500	1.35 ft.			1 spl.	500

Monster® CI Connectors

QuickLock™ RG6 RCA Connectors

RG6 RCA QuickLock™ connections allow easy cable length customization.
Ultra-high quality compression connection for easy installation and uncompromised performance.
Ideal for custom rack termination.
Quick terminations save time and money.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
10-pc. pk. RCA Connectors for RG6-Red	126156	QL RG6 RR-10	$6.00			pc.	1
50-pc. pk. RCA Connectors for RG6-Red	103829	QL RG6 RR-50	$6.00			pc.	1
10-pc. pk. RCA Connectors for RG6-Yellow	126157	QL RG6 RY-10	$6.00			pc.	1
50-pc. pk. RCA Connectors for RG6-Yellow	103830	QL RG6 RY-50	$6.00			pc.	1
10-pc. pk. RCA Connectors for RG6-White	126158	QL RG6 RW-10	$6.00			pc.	1
50-pc. pk. RCA Connectors for RG6-White	103831	QL RG6 RW-50	$6.00			pc.	1
10-pc. pk. RCA Connectors for RG6-Blue	126159	QL RG6 RB-10	$6.00			pc.	1
50-pc. pk. RCA Connectors for RG6-Blue	103832	QL RG6 RB-50	$6.00			pc.	1
10-pc. pk. RCA Connectors for RG6-Green	126160	QL RG6 RG-10	$6.00			pc.	1
50-pc. pk. RCA Connectors for RG6-Green	103833	QL RG6 RG-50	$6.00			pc.	1

Monster Cable QL MC COAX TOOL

High-quality tool precision engineered for stripping coax cable
Saves valuable time and cable by making the perfect strip in one pass

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
QL-MC-COAX STRIPPING TOOL	103850	QL-MC-COAX TOOL	$24.95			ea.	1

Monster CI Pro QL-M59-STR TOOL - Monster® Stripper

Long lasting, precision hardened steel blades designed for years of use
Strips wires clean without damage
Spring-loaded jaws
Gauge and metric markings
Brand New
Full Manufacturer's Warranty

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
RGB Coax Strip Tool	123443	QL-M59-STR TOOL	$24.95			ea.	1

Monster® Crimper for QuickLock™ Coax Connectors

Custom-designed for fast, easy installation of Monster® QuickLock™ coax connectors
Guarantees the best possible termination every time
Includes one crimp spacer
Brand New
Full Manufacturer's Warranty

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
Monster Crimper Compression Crimper	103849	QL-MC-CPRSN TOOL	$99.95			ea.	1

MONSTER CRIMP SPACER FOR QUICKLOCK(TM) COMPRESSION CRIMPING TOOL

ADDITIONAL CRIMP SPACER
Brand New
Full Manufacturer's Warranty

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
Crimp Spacer Replacement	124597	SS SPCR	$4.95			ea.	1

Monster® CI Data, Telecom, And Control Cable

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Dataspeed™ 500 CL EZ



Cat 6 certified high-speed home networking and control cable. •
Supports data speeds of up to 500 MHz. •
EZ-pull box and jacket save installation time. •
Available in 3 colors: navy blue, royal blue, and yellow.

Dataspeed 500 CL EZ 1000 Yellow	101430	DS500-CL-EZ1000Y	0.60 ft.			ft	1 spl.
Dataspeed 500 CL EZ 1000 Royal Blue	101431	DS500-CL-EZ1000LB	0.60 ft.			ft	1 spl.
Dataspeed 500 CL EZ 1000 Navy Blue	101432	DS500-CL-EZ1000DB	0.60 ft.			ft	1 spl.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Monster® Combined Technology Series for Use with Crestron® Systems



Individually striped, color-coded cables to identify which system each cable supports. •
Designed to meet stranding, shielding and electrical characteristics. •
UL CL-3/FT-4 rated for in-wall use with sequential footage markers.

18/2 AWG, 22/2 AWG	124781	MCTS CN EZ500	1.35 ft.			ft	1 spl.
18/2 AWG, 22/2 AWG, 1 Cat5e	124782	MCTS CN+1 EZ250	1.85 ft.			ft	1 spl.
18/2 AWG, 22/2 AWG, 2 Cat5e	124783	MCTS CN+2 EZ250	2.75 ft.			ft	1 spl.
18/2 AWG, 22/2 AWG, 4 Cat5e	124784	MCTS CN+4-250	3.85 ft.			ft	1 spl.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

CI Pro 16-4/CAT5E Bulk Cable



CI Pro 16-gauge, 4-conductor speaker cable bonded to a single CAT5 cable. •
EZ-Spool Box allows for trouble-free spooling and easier installations. •
UL CL-3/FT-4 rated jacket for in-wall use with sequential footage markers.

500 ft. EZ Pull Box	124786	CP16/4 C5ES-EZ500	1.65 ft.			ft	1 spl.
501 ft. EZ Pull Box	124787	CP14/4 C5E EZ250	$2.50			ft	1 spl

CI PRO CAT5E Cable

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

CAT5E Telecom/Data Cable in EZ-Pull Box™ - 1000ft



High Performance, Color-Coded, CAT5 Telecom/Data with
CM Rating for Custom In-Wall Installation
Advanced XLN® Xtra Low Noise® construction minimizes EMI
Low-friction Duraflex® jacket resists temperature extremes, abrasion and chemicals.
Sequentially printed numbers for accurate measurement during installation.
Fast data transfer of 350 Mhz between computers and/or peripherals.

CI Pro Category-5 Enhanced (350mhz) Telecom/Data Cable	103418	CP CAT5E-CL EZ1000	$0.35			1000ft.	1000
CI Pro Category-5 Enhanced (350mhz) Telecom/Data Cable	103436	CP CAT5E-BLU EZ1000	$0.35			1000ft.	1000
CI Pro Category-5 Enhanced (350mhz) Telecom/Data Cable	103435	CP CAT5E-GRN EZ1000	$0.35			1000ft.	1000

CAT5 Telecom/Data Cable in EZ-Pull Box™ - 1000ft

CI Pro Category-5 (100mhz) Telecom/Data Cable	103419	CP CAT5-CL EZ1000	$0.30			1000ft.	1000

Monster® CI BULK Video Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Mini RGB Cables - Bulk Spool



Color-coded, individual Mini-RG59 cables for HDTV cable runs in custom installation. •
Available in 3-conductor, 5-conductor and 5-conductor with CAT5e. •
Uses Monster® QuickLock™ Snap & Seal Mini-RGB RCA and BNC connectors. •
UL CL-3/FT-4 rated for in-wall use with sequential footage markers.

250 ft. spool - 3 conductor RG-59	125176	MCTS RGBM3-250	2.75 ft.			spl	1 spl.
250 ft. spool - 5 conductor RG-59	125177	MCTS RGBM5-250	3.75ft			spl	1 spl.
250 ft. spool - 5 conductor RG-59 + C5E	125178	MCTS RGBM5/C5E 250	4.45 ft.			spl	1 spl.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

CI Pro RG6 Quad Shield Siamese Coax

100% bonded aluminum shield for improved rejection of RFI. •
Quad 95% braided over-all shield coverage for improved rejection of EMI. •
Available in EZ-Pull Box for easy storage and maneuverability. •
Sequential foot markers to provide exact cable measurement. •
UL CL3-Rated for in-wall custom installations.

CI Pro RG6 Quad-Shield Siamese Coax Cable	103416	CP RG6Q-SM-CL EZ250	1.15ft.			spl	1 spl.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

CI Pro RG6 Siamese

100% bonded aluminum shield for improved rejection of RFI. •
95% braided over-all shield coverage for improved rejection of EMI. •
Available in EZ-Pull Box for easy storage and maneuverability. •
Sequential foot markers to provide exact cable measurement. •
UL CL3-Rated for in-wall custom installations.

CI Pro RG6 Dual Shield Siamese Coax Cable	103415	CP RG6-SM-CL EZ250	0.75 ft.			spl	1 spl.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

CI Pro RG6 Quad Shielded Coax

100% bonded aluminum shield for improved rejection of RFI. •
Quad 95% braided over-all shield coverage for improved rejection of EMI. •
Available in EZ-Pull Box for easy storage and maneuverability. •
Sequential foot markers to provide exact cable measurement.

CI Pro RG6 Quad-Shielded Coax Cable - Black	103417	CP RG6Q-CL EZ500	0.45 ft.			spl	1 spl.
CI Pro RG6 Quad-Shielded Coax Cable - White	103434	CP RG6Q-W-CL EZ500	0.50 ft.			spl	1 spl

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

CI Pro RG6 Dual Shield Coax

100% bonded aluminum shield for improved rejection of RFI. •
95% braided over-all shield coverage for improved rejection of EMI. •
Available in EZ-Pull Box for easy storage and maneuverability. •
Sequential foot markers to provide exact cable measurement. •
UL CL3-Rated for in-wall custom installations.

CI Pro CI-RG6 Dual-Shield Coax Cable	103414	CP RG6CL EZ500	0.35 ft.			spl	1 spl.

Monster® CI HDMI Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

HDMI 700hd High Speed HDMI Cable

- High speed rated.
- Higher definition picture and sound at a price everybody can afford.
- Maximum performance from new generation HDTVs, DVD players, & cable/satreceivers.
- Nitrogen injected gas dielectric for maximum signal strength.
- Gold plated heavy duty metal strain relief and connector shield.
- Corrosion resistant 24k gold contacts.
- High density triple-layer shielding for maximum rejection of RFI and EMI.

HDMI 700hd High Speed HDMI Cable - No Frills	132459	MC 700HD-1M NF	$69.95			ea	4
HDMI 700hd High Speed HDMI Cable - No Frills	132460	MC 700HD-2M NF	$79.95			ea	4
HDMI 700hd High Speed HDMI Cable - No Frills	132461	MC 700HD-4M NF	$119.95			ea	4
HDMI 700hd High Speed HDMI Cable - No Frills	132462	MC 700HD-6M NF	$159.95			ea	4
HDMI 700hd High Speed HDMI Cable - No Frills	132463	MC 700HD-25 NF	$199.95			ea	1
HDMI 700hd High Speed HDMI Cable - No Frills	132464	MC 700HD-35 NF	$249.95			ea	1
HDMI 700hd High Speed HDMI Cable - No Frills	132465	MC 700HD-50 NF	$299.95			ea	1

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

HDMI 1000hd Ultra-High Speed HDMI Cable

- Ultra-high speed rated.
- "Cable For Life" performance guarantee.
- For those who demand the best in high definition home theater - now and in the future.
- Ultimate picture and sound from larger HDTVs, advanced projectors, etc.
- Delivers up to 8 channels of lossless digital audio for movies music and games.
- Larger gauge high purity copper conductors.
- Nitrogen injected gas dielectric for maximum signal strength.
- Gold plated heavy duty metal strain relief and connector shield.
- Corrosion resistant 24k gold contacts.
- High density triple-layer shielding for maximum rejection of RFI and EMI.

HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132470**	MC 1000HD-1M NF	$99.95			ea	4
HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132471**	MC 1000HD-2M NF	$129.95			ea	4
HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132472**	MC 1000HD-4M NF	$199.95			ea	4
HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132473**	MC 1000HD-6M NF	$249.95			ea	4
HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132474**	MC 1000HD-25 NF	$299.95			ea	1
HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132475**	MC 1000HD-35 NF	$399.95			ea	1
HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132477**	MC 1000HD-50 NF	$499.95			ea	1
HDMI 1000hd Ultra-High Speed HDMI Cable - No Frills	**132476**	MC 1000HD-75 NF	$699.95			ea	1

Monster® Retail HDMI Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

HDMI 1000hd Ultra-High Speed HDMI Cable

- Ultra-high speed rated.
- "Cable For Life" performance guarantee.
- For those who demand the best in high definition home theater - now and in the future.
- Ultimate picture and sound from larger HDTVs, advanced projectors, and high definition AV sources.
- Delivers up to 8 channels of lossless digital audio for movies music and games.
- Larger gauge high purity copper conductors.
- Nitrogen injected gas dielectric for maximum signal strength.
- Gold plated heavy duty metal strain relief and connector shield.
- Corrosion resistant 24k gold contacts.
- High density triple-layer shielding for maximum rejection of RFI and EMI.

1 m. length - 3.28 ft.	127654	MC 1000HD-1M	99.95 ea.			ea	4 ea.
2 m. length - 6.56 ft.	127655	MC 1000HD-2M	129.95 ea.			ea	4 ea.
4 m. length - 13.12 ft.	127656	MC 1000HD-4M	199.95 ea.			ea	4 ea.
6 m. length - 19.68 ft.	127657	MC 1000HD-6M	249.95 ea.			ea	4 ea.
25 ft. length - 7.62 m.	128067	MC 1000HD-25	299.95 ea.			ea	1 ea.
35 ft. length - 10.67 m.	128068	MC 1000HD-35	399.95 ea.			ea	1 ea.
50 ft. length - 15.24 m.	127944	MC 1000HD-50	499.95 ea.			ea	1 ea.
75 ft. length - 22.86 m.	128069	MC 1000HD-75	699.95 ea.			ea	1 ea.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
HDMI 700hd High Speed HDMI Cable							
• High speed rated. • Higher definition picture and sound at a price everybody can afford. • Maximum performance from new generation HDTVs, DVD players, & cable/satreceivers. • Nitrogen injected gas dielectric for maximum signal strength. • Gold plated heavy duty metal strain relief and connector shield. • Corrosion resistant 24k gold contacts. • High density triple-layer shielding for maximum rejection of RFI and EMI.							
1 m. length - 3.28 ft.	127658	MC 700HD-1M	69.95 ea.			ea	4 ea.
2 m. length - 6.56 ft.	127659	MC 700HD-2M	79.95 ea.			ea	4 ea.
4 m. length - 13.12 ft.	127660	MC 700HD-4M	119.95 ea.			ea	4 ea.
6 m. length - 19.68 ft.	127661	MC 700HD-6M	159.95 ea.			ea	4 ea.
25 ft. length - 7.62 m.	128222	MC 700HD-25**	199.95 ea.			ea	1 ea.
35 ft. length - 10.67 m.	128223	MC 700HD-35**	249.95 ea.			ea	1 ea.
50 ft. length - 15.24 m.	128077	MC 700HD-50**	299.95 ea.			ea	1 ea.
Product Description	**Inventory Number**	**Model Name**	**Retail price**			**Unit Config**	**MCQ**
HDMI 500hd Standard Speed HDMI Cable							
 • Standard speed rated. • High definition connection for HDTV buyers on a budget. • For first generation HDTVs, progressive scan DVD players, cable/satellite receivers. • Corrosion resistant 24k gold contacts. • High density triple-layer shielding for maximum rejection of RFI and EMI.							
1 m. length - 3.28 ft.	127662	MC 500HD-1M	49.95 ea.			ea	4 ea.
2 m. length - 6.56 ft.	127663	MC 500HD-2M	69.95 ea.			ea	4 ea.
4 m. length - 13.12 ft.	127664	MC 500HD-4M	99.95 ea.			ea	4 ea.
6 m. length - 19.68 ft.	127665	MC 500HD-6M	124.95 ea.			ea	4 ea.
Monster Advanced™ for HDMI™ High Speed 3-Way Switcher							
• Three high-performance HDMI inputs instantly adds additional full 1080p inputs to your AV system. • Built-in infrared "learning" technology allows use of your existing universal remote to switch between connected sou • Mountable external infrared receiver hides the switcher from view while maintaining full remote control. • Advanced jitter reduction circuitry corrects signal timing errors for the sharpest picture and most accurate color. • Versatile design allows horizontal or vertical orientation for flexible placement in tight spaces. • Blue LED indicators for quick confirmation which source is selected. • Manual source-switching buttons for quickly switching connected sources. • Heavy-duty no-slip connector grips hold connectors in place, maximizing reliability. • 100% compliant with all versions of HDMI and HDCP; compatible with any HDMI							
HDMI 3-In/1-Out 1080p Switcher	125729	HDMI SWC-X3	149.95 ea.			ea	2
Monster Advanced™ for HDMI™ 1080p 90 Degree Adapter							
• Instantly adapt from horizontal to vertical orientation. • Makes tight on-wall installations easy. • High-purity internal copper construction for lower resistanceand optimum signal integrity. • Internal dual-layer shielding for superior rejection of interference. • 24k gold contacts for maximum signal transfer. • Precision impedance matching design for maximum signal strength.							
90 Degree Adapter for HDMI - No Frills	132479	VA HDMI R-ADPT NF	24.95			ea	6

Monster® CI Component Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Component Video 400cv Advanced Performance Video Cable

- Patented 24k gold contact 6-cut Turbine® connectors cor improved signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Rubber "O" ring grip allows easy connector handling.
- Multi-stranded copper center conductor with all-copper construction for lower loss and extended linear bandwidth.
- Gas-injected dielectric for high-velocity signal transfer, even over long runs or when cable is bent.
- 100% aluminized Mylar ® foil shield plus copper braid rejects EM and RF interference for reliable video performance.
- Duraflex® protective jacket for easy routing and installation.
- Precise 75-Ohm impedance design for optimum video signal strength.

Component Video 400cv - No Frills	121920	MC 400CV-1M NF	$39.95			ea	4
Component Video 400cv - No Frills	121921	MC 400CV-2M NF	$49.95			ea	4
Component Video 400cv - No Frills	121922	MC 400CV-4M NF	$69.95			ea	2

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Component Video 700cv Ultra High Performance Video Cable

- 24k gold contact 12-cut Turbine® connectors for maximum signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Striking black chrome finish complements the look of your home theater.
- Silver-content solder connections for maximum transfer of delicate low-level signals.
- Nitrogen gas-injected dielectric for low attenuation and maximum signal strength, even over long runs or when cable is bent.
- 100% aluminized Mylar® foil shield and high-density copper braid for maximum rejection of EM and RF interference.
- Duraflex® protective jacket for easy routing and installation.
- Precise 75-Ohm impedance design for maximum video signal strength.

Component Video 700cv - No Frills	121917	MC 700CV-1M NF	$69.95			ea	4
Component Video 700cv- No Frills	121918	MC 700CV-2M NF	$89.95			ea	4
Component Video 700cv - No Frills	121919	MC 700CV-4M NF	$119.95			ea	2
Component Video 700cv - No Frills	121923	MC 700CV-6M NF	$129.95			ea	2
Component Video 700cv - No Frills	121930	MC 700CV-25FT NF	$149.95			ea	2

Monster® Retail Component Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Component Video 400cv Advanced Performance Video Cable

- Patented 24k gold contact 6-cut Turbine® connectors cor improved signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Rubber "O" ring grip allows easy connector handling.
- Multi-stranded copper center conductor with all-copper construction for lower loss and extended linear bandwidth.
- Gas-injected dielectric for high-velocity signal transfer, even over long runs or when cable is bent.
- 100% aluminized Mylar ® foil shield plus copper braid rejects EM and RF interference for reliable video performance.
- Duraflex® protective jacket for easy routing and installation.
- Precise 75-Ohm impedance design for optimum video signal strength.

1 m. length - 3.28 ft.	127639	MC 400CV-1M	39.95 ea.			ea	4 ea.
2 m. length - 6.56 ft.	127640	MC 400CV-2M	49.95 ea.			ea	4 ea.
4 m. length - 13.12 ft.	127641	MC 400CV-4M	69.95 ea.			ea	2 ea.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Component Video 700cv Ultra High Performance Video Cable

- 24k gold contact 12-cut Turbine® connectors for maximum signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Striking black chrome finish complements the look of your home theater.
- Silver-content solder connections for maximum transfer of delicate low-level signals.
- Nitrogen gas-injected dielectric for low attenuation and maximum signal strength, even over long runs or when cable is bent.
- 100% aluminized Mylar® foil shield and high-density copper braid for maximum rejection of EM and RF interference.
- Duraflex® protective jacket for easy routing and installation.
- Precise 75-Ohm impedance design for maximum video signal strength.

1 m. length - 3.28 ft.	127633	MC 700CV-1M	69.95 ea.			ea	4 ea.
2 m. length - 6.56 ft.	127634	MC 700CV-2M	89.95 ea.			ea	4 ea.
4 m. length - 13.12 ft.	127635	MC 700CV-4M	119.95 ea.			ea	2 ea.
6 m. length -19.69 ft.	127644	MC 700CV-6M	129.95 ea.			ea	2 ea.
25 ft. length - 7.62 m.	128066	MC 700CV-25	149.95 ea.			ea	2 ea.

Monster® CI Anolog Audio Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Stereo Audio 200i Advanced Performance Audio Cable

- Patented 24k gold contact 6-cut Turbine® connectors for enhanced signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Rubber "O" ring grip no-slip design allows easy connector handling.
- Flexible low-loss dielectric for enhanced signal integrity, even over long runs or when cable is bent.
- Dual “balanced” conductors plus foil shield deliver wider dynamic range and more natural music reproduction with lower noise.
- Duraflex® protective jacket flexible for easy routing and installation.
- 100% aluminized Mylar® foil shield rejects EM and RF interference that causes buzz and hum.

Stereo Audio 200i High Performance Audio Cable - No f	121935	MC 200I-1M NF	$19.95			ea	4
Stereo Audio 200i High Performance Audio Cable - No f	121936	MC 200I-2M NF	$29.95			ea	4
Stereo Audio 200i High Performance Audio Cable - No f	121937	MC 200I-4M NF	$39.95			ea	4

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Stereo Audio 300i High Performance Audio Cable



- Patented 24k gold contact 6-cut Turbine® connectors for enhanced signal transfer and corrosion resistance
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Attractive satin silver finish for lasting style and durability.
- Dual solid-core center conductors for deep, tight bass and smooth, natural midrange.
- Flexible low-loss dielectric for enhanced signal integrity, even over long runs or when cable is bent.
- Two precision-wound conductors plus a shield for more natural music reproduction with lower noise.
- Duraflex® protective jacket flexible for easy routing and installation.
- 100% aluminized Mylar® foil shield rejects EM and RF interference that causes buzz and hum.

1 m. pair - 3.28 ft.	121903	MC 300I-1M NF	$29.95			ea	4 ea.
2 m. pair - 6.56 ft.	121904	MC 300I-2M NF	$39.95			ea	4 ea.
4 m. pair - 13.12 ft.	121905	MC 300I-4M NF	$49.95			ea	4 ea.
6 m. pair - 19.69 ft.	121906	MC 300I-6M NF	$69.95			ea	4 ea.

Monster® Anolog Audio Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Stereo Audio 200i Advanced Performance Audio Cable

- Patented 24k gold contact 6-cut Turbine® connectors for enhanced signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Rubber "O" ring grip no-slip design allows easy connector handling.
- Flexible low-loss dielectric for enhanced signal integrity, even over long runs or when cable is bent.
- Dual “balanced” conductors plus foil shield deliver wider dynamic range and more natural music reproduction with lower noise.
- Duraflex® protective jacket flexible for easy routing and installation.
- 100% aluminized Mylar® foil shield rejects EM and RF interference that causes buzz and hum.

1 m. pair - 3.28 ft.	127606	MC 200I-1M	19.95 ea.			ea	4 ea.
2 m. pair - 6.56 ft.	127607	MC 200I-2M	29.95 ea.			ea	4 ea.
4 m. pair - 13.12 ft.	127608	MC 200I-4M	39.95 ea.			ea	4 ea.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Stereo Audio 300i High Performance Audio Cable



- Patented 24k gold contact 6-cut Turbine® connectors for enhanced signal transfer and corrosion resistance
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Attractive satin silver finish for lasting style and durability.
- Dual solid-core center conductors for deep, tight bass and smooth, natural midrange.
- Flexible low-loss dielectric for enhanced signal integrity, even over long runs or when cable is bent.
- Two precision-wound conductors plus a shield for more natural music reproduction with lower noise.
- Duraflex® protective jacket flexible for easy routing and installation.
- 100% aluminized Mylar® foil shield rejects EM and RF interference that causes buzz and hum.

1 m. pair - 3.28 ft.	127603	MC 300I-1M	29.95 ea.			ea	4 ea.
2 m. pair - 6.56 ft.	127604	MC 300I-2M	39.95 ea.			ea	4 ea.
4 m. pair - 13.12 ft.	127605	MC 300I-4M	49.95 ea.			ea	4 ea.
6 m. pair - 19.69 ft.	127862	MC 300I-6M	69.95 ea.			ea	4 ea.

Monster® CI Digital Audio Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Fiber Optic 400dfo Advanced Performance Audio Cable

- Heavy-duty molded connectors for long-lasting durability and performance.
- Precision-polished fiber terminations minimize internal reflections for improved digital signal transfer.
- "O" ring rubber grip allows easy connector handling.
- Heavy-duty strain relief prevents fiber and connector damage during cable installation or removal.
- Specially tuned optical fiber for low dispersion and higher fidelity.
- InsuLight™ inner jacket reduces digital jitter and time distortion for more accurate audio reproduction.
- Duraflex® protective jacket for easy routing and installation.

1 m. fiber optic cable	121908	MC 400DFO-1M NF	$39.95			ea	4 ea.
2 m. fiber optic cable	121909	MC 400DFO-2M NF	$49.95			ea	4 ea.
4 m. fiber optic cable	121910	MC 400DFO-4M NF	$59.95			ea	4 ea.
20 ft. fiber optic cable	121907	MC 400DFO-20 NF	$74.95			ea	4 ea.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Digital Coax 400dcx Advanced Performance Audio Cable

- Patented 24k gold contact 6-cut Turbine® connectors for improved signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Silver-content solder joints high-conductivity connection accurately transfers delicate, low level signals.
- Rubber “O” ring grip no-slip design allows easy connector handling.
- Solid-core center conductor for faster transients and greater clarity.
- Gas-injected dielectric for high-velocity signal transfer, even over long runs or when cable is bent.
- 100% aluminized Mylar® foil shield for enhanced noise rejection and protection against interference.
- Duraflex® protective jacket for easy routing and installation.

1 m. digital coaxial cable	121911	MC 400DCX-1M NF	$39.95			ea	4 ea.
2 m. digital coaxial cable	121912	MC 400DCX-2M NF	$49.95			ea	4 ea.
4 m. digital coaxial cable	121913	MC 400DCX-4M NF	$59.95			ea	4 ea.

Monster® Retail Digital Audio Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Fiber Optic 400dfo Advanced Performance Audio Cable

- Heavy-duty molded connectors for long-lasting durability and performance.
- Precision-polished fiber terminations minimize internal reflections for improved digital signal transfer.
- "O" ring rubber grip allows easy connector handling.
- Heavy-duty strain relief prevents fiber and connector damage during cable installation or removal.
- Specially tuned optical fiber for low dispersion and higher fidelity.
- InsuLight™ inner jacket reduces digital jitter and time distortion for more accurate audio reproduction.
- Duraflex® protective jacket for easy routing and installation.

1 m. fiber optic cable	127612	MC 400DFO-1M	39.95 ea.			ea	4 ea.
2 m. fiber optic cable	127613	MC 400DFO-2M	49.95 ea.			ea	4 ea.
4 m. fiber optic cable	127614	MC 400DFO-4M	59.95 ea.			ea	4 ea.
20 ft. fiber optic cable	127611	MC 400DFO-20	74.95 ea.			ea	4 ea.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Fiber Optic 600dfo High Performance Audio Cable

- For use with DVD, CD, DACs, S/PDIF, and Dolby Digital® audio applications.
- Graded index optical fiber greatly reduces jitter for enhanced clarity and definition.
- Monster designed pressure connection keeps fiber in perfect alignment with components.
- Exclusive spring-loaded connector keeps fiber in optical alignment for maximum data transfer.
- Attractive silver satin finish for lasting style and durability

1 m. fiber optic cable	127609	MC 600DFO-1M	59.95 ea.			ea	4 ea.
2 m. fiber optic cable	127610	MC 600DFO-2M	79.95 ea.			ea	4 ea.

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Digital Coax 400dcx Advanced Performance Audio Cable

- Patented 24k gold contact 6-cut Turbine® connectors for improved signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Silver-content solder joints high-conductivity connection accurately transfers delicate, low level signals.
- Rubber "O" ring grip no-slip design allows easy connector handling.
- Solid-core center conductor for faster transients and greater clarity.
- Gas-injected dielectric for high-velocity signal transfer, even over long runs or when cable is bent.
- 100% aluminized Mylar® foil shield for enhanced noise rejection and protection against interference.
- Duraflex® protective jacket for easy routing and installation.

1 m. digital coaxial cable	127615	MC 400DCX-1M	39.95 ea.			ea	4 ea.
2 m. digital coaxial cable	127616	MC 400DCX-2M	49.95 ea.			ea	4 ea.
4 m. digital coaxial cable	127617	MC 400DCX-4M	59.95 ea.			ea	4 ea.

Monster® CI Sub Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Subwoofer 400sw High Performance Cable

- Patented 24k gold contact 6-cut Turbine® connectors for maximum signal transfer and corrosion resistance.
- Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion.
- Attractive satin silver finish for lasting style and durability.
- Solid-core bass conductor optimizes low-frequency signal transfer for improved bass response.
- Balanced conductors for enhanced internal noise rejection and clearer, deeper bass.
- 100% aluminized Mylar® foil shield plus high-density copper braid for maximum rejection of noise and hum.
- Duraflex® protective jacket flexible for easy routing and installation.
- Directional arrow indicates direction of signal flow.

2 m. Subwoofer Cable - 6.56 ft.	121916	MC 400SW-2M NF	$29.95			ea	4 ea.
4 m. Subwoofer Cable - 13.12 ft.	121914	MC 400SW-4M NF	$39.95			ea	4 ea.
8 m. Subwoofer Cable - 26.25 ft.	121915	MC 400SW-8M NF	$59.95			ea	4 ea.

Monster® Retail Sub Cables

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
Subwoofer 400sw High Performance Cable							
• Patented 24k gold contact 6-cut Turbine® connectors for maximum signal transfer and corrosion resistance. • Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion. • Attractive satin silver finish for lasting style and durability. • Solid-core bass conductor optimizes low-frequency signal transfer for improved bass response. • Balanced conductors for enhanced internal noise rejection and clearer, deeper bass. • 100% aluminized Mylar® foil shield plus high-density copper braid for maximum rejection of noise and hum. • Duraflex® protective jacket flexible for easy routing and installation. • Directional arrow indicates direction of signal flow.							
2 m. Subwoofer Cable - 6.56 ft.	127626	MC 400SW-2M	29.95 ea.			ea	4 ea.
4 m. Subwoofer Cable - 13.12 ft.	127624	MC 400SW-4M	39.95 ea.			ea	4 ea.
8 m. Subwoofer Cable - 26.25 ft.	127625	MC 400SW-8M	59.95 ea.			ea	4 ea.
Product Description	**Inventory Number**	**Model Name**	**Retail price**			**Unit Config**	**MCQ**
Subwoofer 600sw Ultra High Performance Cable							
• Patented 24k gold contact 12-cut Turbine® connectors for maximum signal transfer and corrosion resistance. • Split-Tip™ center pin for maximum contact pressure and ultra-low signal distortion. • Striking black chrome finish complements the look of your home theater. • Dual solid-core bass conductors specially designed to deliver deep, powerful bass while maintaining maximum clarit • High and low frequency networks provide extended frequency response and improved sonic accuracy. • Balanced construction for enhanced internal noise rejection and clearer, deeper bass. • 100% aluminized Mylar® foil shield plus high-density copper braid for maximum rejection of noise and hum. • Duraflex® protective jacket flexible for easy routing and installation. • Directional arrow indicates direction of signal flow. • Cable shield grounded at source so induced noise doesn't travel forward.							
2 m. Subwoofer Cable - 6.56 ft.	128065	MC 600SW-2M	49.95 ea.			ea	4 ea.
4 m. Subwoofer Cable - 13.12 ft.	127621	MC 600SW-4M	59.95 ea.			ea	4 ea.
8 m. Subwoofer Cable - 26.25 ft.	127622	MC 600SW-8M	69.95 ea.			ea	4 ea.
12 m. Subwoofer Cable - 39.37 ft.	127623	MC 600SW-12M	99.95 ea.			ea	2 ea.

Monster® Power Signature Series Pro

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
Monster® Signature Series™ Pro Power AVS 2000 Automatic Voltage Stabilizer UHC 20A							
Provides consistent 120V AC power, even when voltage fluctuates between 80V and 140V. • True Blue digital meters on the front and back monitor voltage and amperage usage. • AC outlets: 4 switched, 2 unswitched. • Ready for rack mounting; removable rack handles. • Extra long 8 foot PowerLine® 400 AC power cord. • Signature plate signed by Noel Lee, The Head Monster.							
Signature Pro Power AVS 2000 Pro UHC	109459	MPP AVS2000 SS UHC	2,199.95			ea	1.00
Monster® Signature Series™ Pro Power 7000 PowerSource™ UHC 20A							
14 AC outlets, 3 pair coaxial connections, 1 in 3 out phone connections, and 1 pair of network connections • Dual Balanced Pure Power for maximum noise reduction. • Monster exclusive T2 automatic disconnect protection circuitry. • Monster Clean Power Stage 5 circuitry filter dramatically reduces electronic noise. • Tri-Mode power protection circuitry with 3145 joules, audible alarm and auto disconnect. • True blue digital meters on the front and back monitor voltage and amperage usage. • $750,000 Connected Equipment Warranty. • Heavier duty chassis for rack mounting and removable rack handles. • Signature plate signed by Noel Lee, The Head Monster. • 100 amp peak current capacity.							
20A/100A Peak, 14 Outlets, Stage 5	109458	MPP 7000 SS UHC	1999.95			ea	1

Monster® Power Signature Series

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
Signature Series™ Automatic Voltage Stabilizer AVS 2000							
Provides consistent 120V output when AC fluctuates anywhere from 80-140V. Three blue LED volt/amp meters to monitor voltage correction. Four switched and two unswitched color-coded outlets. Upgraded triple-shielded 8ft. PowerLine® 400 AC Power Cord for maximum power transfer. Automatically protects connected equipment in the event of extended over voltage. Embossed plate with The Head Monster, Noel Lee's Signature.							
Noel Lee Signature Series AVS2000	109411	MP AVS 2000 SS	1,699.95			ea	1.00

Signature Series™ Home Theatre Reference HTPS 7000 MKIII PowerSource with Dual Balanced Pure Power™ Transformers and Clean Power™ Stage 5

Monster Clean Power™ Stage 5 circuitry filter dramatically reduces electronic noise.
- T2™ automatic disconnect/reconnect protection circuitry.
- Tri-Mode™ power protection circuitry with audible alarm and auto disconnect.
- 7200 joule rating provides a high level of surge absorption.
- 12 surge-protected, color-coded AC outlets.
- True blue digital meter displays both voltage and amperage.
- 3 pair surge protected 2.5 GHz coax connectors.
- 1 pair of surge protected phone connectors with splitter.
- Triple-shielded 8 ft. PowerLine® 400 cable for maximum power transfer.
- $750,000 Connected Equipment Warranty.

12 surge-protected, color-coded outlets		MP HTPS7000SS MKIII	1499.95			ea	1

Monster® Power

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Home Theatre Automatic Voltage Stabilizer AVS 2000

Three easy-to-read digital meters monitor incoming voltage, voltage correction and amperage usage.
Four switched and two un-switched color-coded outlets.
Heavy-duty 8 ft. Monster® PowerLine® 300 cable for optimum power delivery.
17” x 13 3/4” x 7 3/4” - 68 lbs.

AVS2000 Automatic Voltage Stabilizer	109291	MP AVS 2000	1,499.95			ea	1

Home Theatre Reference PowerSource HTPS 7000 with Dual Balanced Pure Power Isolation Transformers

Exclusive Monster Dual Balanced Pure Power™ circuitry for lowest noise best picture and sound performar
Tri-ModeTM circuitry with audible alarm and auto disconnect provides the most comprehensive power prot
270° analog voltmeter for instantaneous monitoring of power fluctuations.
Sequenced AC power turn-on and turn-off for equipment protection and overload prevention.
3145 joule rating provides highest level of surge absorption.
Programmable switched and un-switched outlets.
17” x 14.5” x 5”.

12 outlets, 3 pr. coax, 1 pr. phone		MP HTPS 7000MKII	1,299.95			ea	1

Home Theatre Reference HTS 5100 MKII PowerCenter™ with Clean Power™ Stage 4v.2.1

- Monster Clean Power™ Stage 4 v.2.1 circuitry filter dramatically reduces electronic noise.
- T2™ automatic disconnect/reconnect protection circuitry.
- Tri-Mode™ power protection circuitry with audible alarm and auto disconnect.
- 6814 joule rating provides a high level of surge absorption.
- 10 surge-protected, color-coded AC outlets.
- Digital meter displays both voltage and amperage.
- 3 pair surge protected 2.5 GHz coax connectors.
- 1 pair of surge protected phone/network connectors with splitter.
- Triple-shielded 8 ft. PowerLine® 300 cable for maximum power transfer.
- $500,000 Connected Equipment Warranty.

Clean Power™, 10 outlets	109097	MP HTS5100 MKIII	699.95			ea	1

PRO 900 PowerCenter™ with Clean Power™ Stage 1 v2.0 Circuitry

Monster Clean Power™ Stage 1 filtering for high quality sound.
- Dual-Mode Plus protection and audible alarm for maximum protection and performance.
- AC power turn-on and turn-off for equipment and overload protection.
- 8 switched outlets for power hungry equipment are color-coded for error free connections.
- 2 switched front panel outlets for convenient access.
- 1850 joule rating provides high level of surge protection.
- Heavy-duty, extra long high current 8 ft. Monster PowerLine® 100 cable for maximum power transfer.
- Dimensions: 1 3/4" H x 17 1/4" W x 5 1/4" D; weight: 3.9 lbs.

PRO 900 with Clean Power™	600018	MP PRO 900 EFS	99.95			ea	1

Monster® Power with UPS

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Home Theater® PowerCenter™ HTUPS 2700 w/ Clean Power™ Stage 2 v2.1 Battery Back-Up and Automatic Voltage Regulation

- Patented HD CleanPower stage 2 v2.1 for better picture and sound.
- T2 automatic disconnect/reconnect protection circuitry.
- Automatic voltage regulation improves component performance and reduces wear.
- 680 VA UPS battery back-up maintains power during blackouts up to 1 hour.
- Compatible with Power Line Communication Home Networks.
- 6 surge protected outlets: 1 pair phone connectors with splitter.
- 2 pair high bandwidth coax connectors: 1 pair for satellite, 1 pair with proprietary ground isolation technology for cable TV.
- 1 rack unit design saves space in installations; includes heavy duty rack hardware.
- 7686 joule rating for maximum protection and $350,000 Connected Equipment Warranty.
- Dimensions: 1 3/4" H x 17" W x 17 7/8 D; weight 30.5 lbs

6 Outlets, Stage 2 v2.1, UPS, AVR	121551	MP HTUPS 2700	599.95 ea.			ea	1

Monster® Empowered Power

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Empowered PowerCenter™ EP 3650 with IR Control and Distribution and Clean Power™ Stage 3

- Provides AC power protection for home theater components.
- Wirelessly control up to 12 A/V components and keep them hidden.
- Monster Clean Power™ Stage 3 circuitry filter dramatically reduces electronic noise.
- T2™ automatic disconnect/reconnect protection circuitry.
- 6960 joule rating provides a high level of surge absorption.
- 10 surge-protected, color-coded AC outlets, including 2 high current PLC enabled outlets.
- Digital meter displays both voltage and amperage.
- 3 pair surge protected 3.0 GHz coax connectors, 1 pair phone connectors with splitter, and 1 pair network connectors.
- 2 RU tall design.
- $500,000 Connected Equipment Warranty.

10 Surge-Protected, Color-Coded Outlets	120254	MP EP IR 3650	599.95			ea	1

Monster HD IR 2550 High Definition PowerCenter™

- IR reception and distribution technology relays remote control signals to AV components.
- Monster® HD Clean Power™ Stage 2 circuitry filter dramatically reduces electronic noise.
- T2™ automatic disconnect/reconnect surge protection circuitry.
- Patented Tri-Mode® surge protection automatically disconnects both line and neutral power lines and sounds an alarm.
- 11 surge-protected, color-coded AC outlets.
- 2 pair ultra-low loss 2.8 GHz satellite connections.
- 1 pair cable TV connections with ground isolation to reduce line noise.
- 1 pair surge-protected phone connections with splitter and 1 pair network connections.
- 7686 joule rating provides a high level of surge absorption.
- Blue LED Digital meter displays voltage.

11 Outlets, IR Enabled, Stage 2, T2 Protec	121582	MP HD IR 2550	499.95			ea	1

Empowered PowerCenter™ EP 2450 with IR Control and Distribution and Clean Power™ Stage 2

Dimensions: 2.13" H x 17.13" W x 10.30" D; weight: 8.55 lbs

- Provides AC power protection for home theater components.
- Wirelessly control up to 8 A/V components and keep them hidden.
- Monster Clean Power™ Stage 2 circuitry filter dramatically reduces electronic noise.
- T2™ automatic disconnect/reconnect protection circuitry.
- 6420 joule rating provides a high level of surge absorption.
- 7 surge-protected, color-coded AC outlets, including 2 high current PLC enabled outlets.
- Digital meter displays voltage.
- 2 pair surge protected GHz coax connectors and 1 pair of surge protected phone connectors with splitter
- 1 RU tall design.

7 surge-protected, color-coded outlets	120252	MP EP IR 2450	499.95			ea	1

Monster® High Definition Power

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Monster HDP 2500 High Definition PowerCenter™

- Monster® HD Clean Power™ Stage 2 circuitry filter dramatically reduces electronic noise.
- T2™ automatic disconnect/reconnect surge protection circuitry.
- Patented Tri-Mode® surge protection automatically disconnects both line and neutral power lines and sounds an alarm.
- 11 surge-protected, color-coded AC outlets.
- 2 pair ultra-low loss 2.8 GHz satellite connections.
- 1 pair cable TV connections with ground isolation to reduce line noise.
- 1 pair surge-protected network connections.
- 1 pair surge-protected phone connections with splitter
- 6066 joule rating provides a high level of surge absorption.
- Blue LED Digital meter displays voltage.

11 Outlets, Stage 2, T2 Protection	121581	MP HDP 2500	399.95 ea.			ea	1

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Monster HDP 1800 High Definition PowerCenter™

- Monster® HD Clean Power™ Stage 2 v.2.1 circuitry filter dramatically reduces electronic noise.
- T2™ automatic disconnect/reconnect surge protection circuitry.
- Patented Tri-Mode® surge protection automatically disconnects both line and neutral power lines and sounds an alarm.
- 8 surge-protected, color-coded AC outlets.
- 2 pair ultra-low loss 2.8 GHz satellite connections.
- 1 pair cable TV connections with ground isolation to reduce line noise.
- 1 pair surge-protected network connections.
- 1 pair surge protected phone connectors with splitter.
- 5526 joule rating provides a high level of surge absorption.
- Blue LED Digital meter displays voltage.

8 Outlets, Stage 2 v2.1, T2 Protection	121580	MP HDP 1800	299.95			ea	1

Monster® Flat Screen Power

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
Monster Power® High Definition Video HTFS 500 PowerCenter™							
Monster HDV Clean Power™ circuitry delivers highest quality video to Plasma, LCD, and Flat Screen TVs. 2 AC outlets with AC surge protection to protect your investment. Compact design fits behind flat panel displays. Dual Mode Plus power protection circuitry with audible alarm and auto disconnect. 2775 joule rating provides a high level of surge protection. $300,000 Connected Equipment Warranty. Extra long 8-foot PowerLine® 200 AC power cord. 24k gold contact plug for maximum corrosion resistance and power transfer. 12V trigger input.							
2 AC Outlets for Flat Screens	109415	MP HTFS 500	199.95			ea	2
Home Theater PowerCenter™ HTFS 450 with High Definition Clean Power							
• Monster High Definition Clean Power™ Stage 1 circuitry filter dramatically reduces electronic noise. • Dual Mode Plus® surge protection automatically disconnects AV components and sounds an alarm. • SurgeGuard™dissipates harmful power surges with 4320 Joules of protection. • 2 surge-protected, color-coded AC outlets. • Compact design is wall mountable and has low-profile side-entry outlets for installation behind your HDTV. • 1 pair ultra-low loss protected coax connections for cable TV, satellite or antenna. • Extra-long, 8 ft PowerLine™100 cord easily reaches wall outlets. • FlatProfile™plug hugs wall for easy hookup behind furniture and rotates 360° so it won't block adjacent outlets. • $250,000 Connected Equipment Warranty. • Dimensions: 3.58 W x 2.06 D x 5.9 L; weight 1.68 lbs							
PowerCenter with High Def Clean Power	121566	MP HTFS 450	149.95			ea	6
FlatScreen PowerCenter™ HTS 300 with Clean Power™ Stage 1 v.2.0							
• Monster Clean Power™ Stage 1 circuitry filter dramatically reduces electronic noise. • Three side-entry outlets for AC protection and clean, ultra-low profile installation. • One pair coaxial connections for cable TV/HDTV protection, one pair phone connections for satellite/DVR/phone protection. • Dual Mode Plus power protection circuitry with audible alarm and auto disconnect. • 1,100 joule rating provides a high level of surge absorption. • $25,000 Connected Equipment Warranty.							
3 outlets, 1 pr. coax and 1 pr. phone	121565	FS MP HTS300**	69.95			ea	6
Monster® FlatScreen PowerProtect™ 200 (French/English)							
2 AC outlets for AC surge protection and 1 pair coaxial connections for cable TV/satellite TV/HDTV surge protection. • Dual Mode Plus power protection circuitry with 1260 joule rating and audible alarm. • 1110 joule rating provides high level protection of surge absorption. • $50,000 Connected Equipment Warranty. • Navajo white and compact design to easily blend in with any home's décor. • 24k gold contact plug for maximum corrosion resistance and power transfer. • Dimensions: 8 7/8" H x 4 3/4" W x 2 1/2" D; weight: 0.37 lbs							
FlatScreen PowerProtect, 2 outlets, white	120241	FS MP AVFL200 EF	29.95			ea	4

Monster® Power Bar

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ
HTS 1000 MKIII PowerCenter™ with Clean Power™ Stage 2							
Monster Clean Power™ Stage 2 dramatically reduces electronic noise for Better Picture and Sound™ • T2 microprocessor controlled disconnect/reconnect protection circuitry • Tri-Mode™ power protection circuitry with audible alarm • Provides over 6125 Joules of surge absorption capacity for superior protection • 8 filtered, surge protected AC power outlets for AV component hookup • Digital LED meter displays incoming voltage • 2 Pairs of Ultra-Low Loss Protected Coax Jacks for Satellite, Cable TV, and HDTV • 1 Pair of Ultra-Low Loss Protected Network Jacks for Satellite and TiVo • 1 Pair of Ultra-Low Loss Protected Phone Jacks for Satellite and TiVo • $350,000 Connected Equipment Warranty.							
8 outlet, 2 pr. coax, phone & network	121533	MP HTS 1000 MKIII**	199.95			ea	3

Monster® Power Blackout PowerCenter™ HDP 900

- Monster® HD Clean Power™ Stage 1 circuitry filter dramatically reduces electronic noise.
- Patented Tri-Mode® surge protection automatically disconnects both line and neutral power lines and sounds an alarm.
- 3780 Joule rating provides a high level of surge absorption.
- 8 ultra-wide spaced, surge-protected AC outlets.
- Color-coded outlets are backlit for easy identification with matching cord labels.
- 1 pair surge-protected ultra-low loss coax cable connections.
- 1 pair of surge-protected phone connections with splitter and 1 pair network connections.
- $250,000 Connected Equipment Warranty.
- Long, 8 ft PowerLinep® cable easily reaches wall outlets.
- FlatProfile™ Plug lays flat to fit behind furniture.

8 Outlets, 1 Pr. Coax and 1 Pr. Phone	121567	MP HDP 900	129.95			ea	6

Monster® Power Blackout PowerCenter™ HDP 650

- Monster® HD Clean Power™ Stage 1 circuitry filter dramatically reduces electronic noise.
- Advanced Dual Mode Plus™ surge protection automatically disconnects your AV equipment and sounds an alarm.
- 2160 Joule rating provides a high level of surge absorption.
- 6 ultra-wide spaced, surge protected AC outlets.
- Color-coded outlets are backlit for easy identification with matching cord labels.
- 1 pair surge-protected, ultra-low loss coax cable connections.
- 1 pair of surge-protected phone connections with splitter.
- $200,000 Connected Equipment Warranty.
- 6 ft PowerLine® cable easily reaches wall outlets.
- FlatProfile™ Plug lays flat to fit behind furniture.

6 Outlets and 1 Pr. Coax	121568	MP HDP 650	99.95			ea	6

PowerCenter™ AV 800 with Surge Protection

Color-coded, labeled outlets and matching cord labels for easy hookup.
8 ft. Monster AC power cable with FlatProfile™ right angle plug provides flexibility for installations.
Eight outlets total, including three spaced for use with AC adapter transformers.
Maximum conductivity 24k gold contact, grounded right angle plug lets furniture hug walls.
Audible and visual indicators for damage, protection, and ground status monitoring.
1295 Joule rating provides higher level of surge absorption.
$25,000 connected equipment protection and lifetime PowerCenter™ product warranty.

8 outlets, 1 coax	109301	MP AV 800	49.95			ea	10

PowerProtect™ AV 600 with Surge Protection

$10,000 Monster guaranteed connected equipment protection and a 5 year product warranty.
Slim design for easy placement in tight areas.
Color-coded, labeled outlets and matching cord labels for easy hookup.
8 ft. Monster AC power cable with FlatProfile™ right angle plug provides flexibility for installations.
Maximum conductivity 24k gold contact, grounded right angle plug lets furniture hug walls.
555 Joule rating provides higher level of surge absorption.

6 outlets, Power Strip, 555 Joules	109300	MP AV 600	19.95			ea	12

Monster® PowerNet

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Monster® Digital Express POWERNET 200 Starter Kit

- Plugs into any standard AC Receptacle for plug and play network connectivity.
- Features two additional AC outlets with Protective Filters that protect that high speed data stream.
- Additional isolation filters keep PowerLine data from adverse affects on

additional home AV components on the AC outlets.
- Network speed, ground and protection indicator lights

2 Outlet, 2 Ethernet, Double Pack	121604	DX PLN 200-2	299.95			ea	4

Monster® Add On's

Product Description	Inventory Number	Model Name	Retail price			Unit Config	MCQ

Monster Cable TV CLNKIT Ultimate Performance TV Cleaning Kit

Powerful cleaning solution removes dust, dirt, and oily fingerprints for ultimate clarity.
Advanced formula cleans without dripping, streaking, or staining like ordinary cleaners.
Includes a high-tech reusable MicroFiber cloth that cleans screens without scratching.
Delivers clear, vibrant picture with ultra-sharp definition
Cleans TVs, camcorders, camera lenses, HD monitors, and other video displays

Big Screen Cleaning Kit	126634	TV CLNKIT	$19.95			ea.	6